



API v1

Authors:

- Alberto González (alberto@projeggt.com)

Date: 03/01/2014

Version: v1 (0.3.1)

Contents

[Introduction](#)

[Changelog](#)

[Data structure](#)

[URL & Objects](#)

[Cheat Sheet](#)

[Projects](#)

[project:id](#)

[Response](#)

[project/all/:pag](#)

[Response](#)

[Pages](#)

[page/:id](#)

[Response](#)

[page/all](#)

[Response](#)

[page/:id/all/:pag](#)

[Response](#)

[Users](#)

[user/:id](#)

[Response](#)

[Stats](#)

[stats/:platform](#)

[Response](#)

Introduction

Projeggt API provides all necessary calls to server to get public info of crowdfunding campaigns, communities, user profiles and stats.

Changelog

- Version 0.3.1 (03/01/2014)
 - Bugs fixed on architecture
- Version 0.3 (03/01/2014)
 - Added new object: user
 - Added new object: stats
 - Bugs fixed
- Version 0.2 (02/01/2014)
 - Added new object: pages
 - Projects updated with pages support
 - Fixed number types
 - Other changes on API Docs
- Version 0.1.1 (30/12/2013)
 - Added ID of each project
 - Added support languages with parameter *lang*
 - Deleted author email
- Version 0.1 (27/12/2013)
 - First release
 - Support project objects

Data structure

URL & Objects

URL attributes:

- `http://api.projeggt.com/version/object/action/:variable`
- `http://api.projeggt.com/version/object/:variable/action/:variable`

Support Objects

- Project (campaigns)
- Page (communities)
- User (users)
- Stats (statistics)

Cheat Sheet

Object	Type	Action	Variable	Pagination
Project	GET	<ul style="list-style-type: none">• <code>project/:id</code>• <code>project/all/:pag</code>	<code>:pag</code> (pagination) <code>:id</code> (id number)	9 projects
Page	GET	<ul style="list-style-type: none">• <code>page/:id</code>• <code>page/:id/all/:pag</code>• <code>page/all/</code>	<code>:pag</code> (pagination) <code>:id</code> (id number)	9 pages 9 projects
User	GET	<ul style="list-style-type: none">• <code>user/:id</code>	<code>:id</code> (id number)	
Stats	GET	<ul style="list-style-type: none">• <code>stats/:platform</code>	<code>:platform</code> (name)	

Projects

project:id

URL: <http://api.projeggt.com/project/:id>

Method: [GET](#)

Parameters:

- lang
 - esp (Spanish)
 - eng (English)
 - cat (Catalan)

Response

```
{
  "id": (number),
  "name": (string),
  "url": (string),
  "shortDescription": (string),
  "description": (string),
  "imageURL": (string) (absolute URL),
  "page": (string),
  "juntalia": (string) (y/n),
  "category":{
    "name": (string),
    "url": (string),
    "slug": (string)
  },
  "author":{
    "name": (string),
    "surname": (string),
    "vanity": (string),
    "biography": (string),
    "avatar": (string),
    "city": (string),
    "twitter": (string),
    "facebook": (string),
    "linkedin": (string),
```

```

        "youtube": (string),
        "googleplus": (string),
        "vimeo": (string),
        "samroad": (string)
    },
    "status": (string),
    "projectType": (string),
    "finished": (boolean),
    "completed": (boolean),
    "goal": (number),
    "collected": (number),
    "funded": (string),
    "percentage": (number),
    "remaining": (number),
    "countFunders": (number),
    "countComments": (number),
    "countBlogs": (number),
    "city": (string),
    "country": (string),
    "dateAdded": (number),
    "dateStarted": (number),
    "dateFinish": (number),
    "period": (number),
    "urlShort": (string),
    "rewards": [(array)
        {
            "value": (number),
            "funders": (number),
            "units": (number),
            "name": {
                "2": (string),
                "3": (string),
                "1": (string)
            },
        },
    ],

```

```
        "description":{
            "2": (string),
            "3": (string),
            "1": (string)
        }
    }
}
```

project/all/:pag

URL: <http://api.projeggt.com/project/all/:pag>

Method: [GET](#)

Parameters:

- lang
 - esp (Spanish)
 - eng (English)
 - cat (Catalan)

Response

- Array of project/:id responses
- Pagination: **9 projects** in each page

Pages

page/:id

URL: <http://api.projeggt.com/page/:id>

Method: [GET](#)

Parameters:

- lang
 - esp (Spanish)
 - eng (English)
 - cat (Catalan)

Response

```
{
  "id": (number),
  "name": (string),
  "url": (string),
  "description": (string),
  "imageURL": (string),
  "videoURL": (string),
  "category": (string),
  "city": (string),
  "social":{
    "twitter": (string),
    "facebook": (string),
    "googleplus": (string),
    "linkedin": (string),
    "youtube": (string),
    "vimeo": (string),
    "samyroad": (string)
  },
  "collected": (number),
  "funders": (number),
  "projects":{
    "launched": (number),
    "review": (number)
  }
}
```

```
}  
}
```

page/all

URL: <http://api.projegg.com/page/all>

Method: [GET](#)

Parameters:

- lang
 - esp (Spanish)
 - eng (English)
 - cat (Catalan)

Response

- Array of page/:id responses
- There is no pagination.

page/:id/all/:pag

URL: <http://api.projegg.com/page/:id/all/:pag>

Method: [GET](#)

Parameters:

- lang
 - esp (Spanish)
 - eng (English)
 - cat (Catalan)

Response

- Array of project/:id responses
- Pagination: **9 projects** in each page

Users

user/:id

URL: <http://api.projeggt.com/user/:id>

Method: **GET**

Parameters:

- lang
 - esp (Spanish)
 - eng (English)
 - cat (Catalan)

Response

```
{
  "id": (number),
  "name": (string),
  "surname": (string),
  "vanity": (string),
  "biography": (string),
  "avatar": (string),
  "city": (string),
  "social":{
    "twitter": (string),
    "facebook": (string),
    "linkedin": (string),
    "youtube": (string),
    "googleplus": (string),
    "vimeo": (string),
    "samyroad": (string)
  },
  "juntalia": (string)
}
```

Stats

stats/:platform

URL: <http://api.projegt.com/stats/:platform>

Method: [GET](#)

Variables (:platform)

- projegt
- juntalia

Parameters (only to number format):

- lang
 - esp (Spanish)
 - eng (English)

Response

```
{  
  "collected": (string),  
  "projects": (number),  
  "funders": (string),  
  "percent": (string),  
  "contribution": (string)  
}
```